INSTRUCTIONS ImperialTM Protein Stain



24615 24617

1737.1

NumberDescription24615ImperialTM Protein Stain, 1 L, sufficient reagent for up to 50 mini gels24617ImperialTM Protein Stain, 3 × 1 L, sufficient reagent for up to 150 mini gels

Storage: Upon receipt store product at room temperature.

Introduction

ImperialTM Protein Stain is a coomassie R-250 dye-based reagent for protein staining in polyacrylamide gels. This sensitive (≤ 3 ng) stain produces an intense color that photographs well. This reagent stains only protein and allows bands to be viewed directly in the gel during the staining process. The easy protocol is flexible to meet demanding time and sensitivity requirements and uses a simple water wash to yield a clear background.

Procedure for Staining Gels

1. <u>SDS-PAGE:</u> After electrophoresis place gel in a clean tray and wash three times for 5 minutes with 50-100 ml of ultrapure water. Alternatively, wash gel in 200 ml of ultrapure water with gentle shaking for 15 minutes.

Native PAGE: Wash gel with 50-100 ml of ultrapure water for 5 minutes.

Note: Gels electrophoresed in MOPS or MES buffers may require an additional 5-minute wash (4×5 minutes total) for good sensitivity and reduced background.

2. Mix the Imperial[™] Protein Stain immediately before use by gently inverting or tipping and swirling the bottle several times.

Note: Imperial[™] Protein Stain contains additives that help slow formation of dye-dye aggregates, which occur in all coomassie dye-based protein staining reagents. If left undisturbed, the reagent may form visible aggregates that settle in the bottle; however, gentle mixing completely disperses these aggregates. To ensure that a homogeneous sample of the reagent is used, mix reagent before pouring or dispensing.

3. Add sufficient volume of stain to completely cover gel. Typically, 20-25 ml of stain is sufficient for an 8×10 cm gel. Place tray on a shaker. See Table 1 for staining time to achieve the desired level of sensitivity.

Table 1 Imperial Protein Stain detection sensitivity using

various staining and wash times.			
Sensitivity (ng)	<u>Stain Time</u>	Wash Time	
≤ 3	2 hours	overnight	
3-6	1 hour	1-2 hours	
6-12	5-10 minutes	3×5 minutes	

Discard staining reagent and replace with 200 ml of ultrapure water to reduce background. Incubate on an orbital shaker.

4. Discard standing reagent and replace with 200 m of unrapure water to reduce background. Incubate on an orbital shaker See Table 1 for wash time to achieve the desired level of sensitivity.

Note: Frequently replacing water and extending wash times will increase band intensity in contrast with the background. Placing a folded Kimwipe[™] Tissue or paper towel in the container will enhance the destaining process by absorbing excess dye and will eliminate the need for replacing water. Remove tissue from the container when wash is complete. Overnight washing will not reduce band intensity.

Warranty: Pierce products are warranted to meet stated product specifications and to conform to label descriptions when used and stored properly. Unless otherwise stated, this warranty is limited to one year from date of sale for product sued, handled and stored according to Pierce instructions. Pierce's sole liability for the product is limited to replacement of the product or refund of the purchase price. Pierce products are supplied for laboratory or manufacturing applications only. They are not intended for medicinal, diagnostic or therapeutic use. Pierce products may not be resold, modified for resale or used to manufacture commercial products without prior written approval from Pierce Biotechnology. Pierce strives for 100% customer satisfaction. If you are not satisfied with the performance of a Pierce product, please contact Pierce or your local distributor.



Microwave Procedure for Staining Gels

This procedure is fast, produces sharp bands and is sensitive to 6-12 ng. The procedure is optimized for standard 1 mm thick mini gels. Larger or thicker gels may require additional volumes of reagents or longer microwave and incubation times.

- 1. Place gel in a clean tray, add 100 ml of ultrapure water and microwave for 90 seconds.
- 2. Mix the Imperial[™] Protein Stain immediately before use by gently inverting or tipping and swirling the bottle several times.
- 3. Discard water wash from gel and add 50 ml of stain or sufficient volume to completely cover the gel. Microwave gel for 90 seconds or until solution is about to boil. Do not let solution boil to evaporation.
- 4. Discard staining reagent and replace with 100 ml of ultrapure water. Microwave gel for 90 seconds. Place tray on an orbital shaker and incubate for 5 minutes.

Note: Placing an approximately 40 cm² folded KimwipeTM Tissue (or paper towel) in the destaining container will enhance the destaining process by absorbing excess dye leaching from the gel.

Procedure for Staining Nitrocellulose Membranes

- 1. Place nitrocellulose membrane containing transferred proteins in a tray and rinse for 1-2 minutes with ultrapure water.
- 2. Mix the Imperial[™] Protein Stain immediately before use by gently inverting or tipping and swirling the bottle several times.
- 3. Add sufficient volume of stain to completely cover the membrane. Typically, 10 ml of stain is sufficient for 8×10 cm membrane. Incubate on an orbital shaker for 2-5 minutes.
- 4. Reduce background with a solution of 50% methanol/10% acetic acid for 4-10 minutes, replacing the solution 2-3 times.
- 5. Before drying the membrane for preservation, rinse it with 10% methanol to prevent wrinkling.

Troubleshooting

Problem	Possible Cause	Solution
High background	SDS interference	Wash gel extensively before staining
No band development	Gel is > 1 mm thick	Destain background for 2-4 hours; alternatively, use thinner gels

Related Pierce Products

24612	SilverSNAP [®] Stain Kit II	
24597	Color Silver Stain II Kit	
24600	SilverSNAP [®] Stain for Mass Spectrometry	
26681	BlueRanger™ Prestained Protein Molecular Weight Marker Mix	
24580	MemCode [™] Reversible Protein Stain Kit for Nitrocellulose Membranes	
28378	BupH [™] Tris-Glycine-SDS Running Buffer Packs	
25200-25244	Precise [™] Protein Gels, see catalog or web site for a complete listing	
28398	BupH [™] Tris-HEPES-SDS Running Buffer Packs	

U.S. pantent pending on Imperial™ Protein Stain Technology

Kimwipe™ is a trademark of Kimberly-Clark

The most current versions of product instructions are available at *piercenet.com*. For a faxed copy call 800-874-3723 or contact your local distributor. ©Pierce Biotechnology, Inc., 5/2005. Printed in the USA.